

# Common Sense Addition Explained by Hurwicz Optimism-Pessimism Criterion

Bibek Aryal, Laxman Bokati, Karla Godinez,  
Shammir Ibarra, Heyi Liu, Bofei Wang, and  
Vladik Kreinovich

University of Texas at El Paso, El Paso, TX 79968, USA  
baryal@miners.utep.edu, lbokati@miners.utep.edu,  
kpgodinezma@miners.utep.edu, saibarra@miners.utep.edu  
hliu2@miners.utep.edu, bwang2@miners.utep.edu,  
vladik@utep.edu

## Abstract

If we place a can of coke that weigh 0.35 kg into a car that weighs 1 ton = 1000 kg, what will be the resulting weight of the car? Mathematics says 1000.35 kg, but common sense says 1 ton. In this paper, we show that this common sense answer can be explained by the Hurwicz optimism-pessimism criterion of decision making under interval uncertainty.

## 1 Common Sense Addition

Suppose that we have two factors that affect the accuracy of a measuring instrument. One factor leads to errors  $\pm 10\%$  – meaning that the resulting error component can take any value from  $-10\%$  to  $+10\%$ . The second factor leads to errors of  $\pm 0.1\%$ . What is the overall error?

From the purely mathematical viewpoint, the largest possible error is 10.1%. However, from the common sense viewpoint, an engineer would say: 10%.

A similar common sense addition occurs in other situations as well. For example, if we have a car that weight 1 ton = 1000 kg, and we place a coke can that weighs 0.35 kg in the car, what will be now the weight of the car? Mathematics says 1000.35 kg, but common sense clearly says: still 1 ton.

How can we explain this common sense addition?

## 2 Towards Precise Formulation of the Problem

We know that the overall measurement error  $\Delta x$  is equal to  $\Delta x_1 + \Delta x_2$ , where:

- the value  $\Delta x_1$  can take all possible values from the interval  $[-\Delta_1, \Delta_1]$ , and

- the value  $\Delta x_2$  can take all possible values from the interval  $[-\Delta_2, \Delta_2]$ .

What can we say about the largest possible value  $\Delta$  of the absolute value  $|\Delta|$  of the sum

$$\Delta x = \Delta x_1 + \Delta x_2?$$

Let us describe this problem in precise terms. For every pair  $(x_1, x_2)$ :

- let  $\pi_1(x_1, x_2)$  denote  $x_1$  and
- let  $\pi_2(x_1, x_2)$  stand for  $x_2$ .

Let  $\Delta_1 > 0$  and  $\Delta_2 > 0$  be two numbers. Without losing generality, we can assume that

$$\Delta_1 \geq \Delta_2.$$

By  $\mathcal{S}$ , let us denote the class of all possible sets

$$S \subseteq [-\Delta_1, \Delta_1] \times [-\Delta_2, \Delta_2]$$

for which

$$\pi_1(S) = [-\Delta_1, \Delta_1] \text{ and } \pi_2(S) = [-\Delta_2, \Delta_2].$$

We are interested in the value

$$\Delta(S) = \max\{|\Delta x_1 + \Delta x_2| : (\Delta x_1, \Delta x_2) \in S\}$$

corresponding to the actual (unknown) set  $S$ .

We do not know what is the actual set  $S$ , we only know that  $S \in \mathcal{S}$ . For different sets  $S \in \mathcal{S}$ , we may get different values  $\Delta(S)$ . The only thing we know about  $\Delta(S)$  is that it belongs to the interval  $[\underline{\Delta}, \overline{\Delta}]$  formed by the smallest and the largest possible values of  $\Delta(S)$  when  $S \in \mathcal{S}$ :

$$\underline{\Delta} = \min_{S \in \mathcal{S}} \Delta(S), \quad \overline{\Delta} = \max_{S \in \mathcal{S}} \Delta(S).$$

Which value  $\Delta$  from this interval should we choose?

### 3 Hurwicz Optimism-Pessimism Criterion: Reminder

Situations when we do not know the value of a quantity, we only know the interval of its possible values, are ubiquitous. In such situations, decision theory recommends using *Hurwicz optimism-pessimism criterion*: selecting the value

$$\alpha \cdot \underline{\Delta} + (1 - \alpha) \cdot \overline{\Delta}$$

for some  $\alpha \in [0, 1]$ . A usual recommendation is to use  $\alpha = 0.5$ ; see, e.g., [2, 3, 4].

Let us see what will be the result of applying this criterion to our problem.

## 4 Analysis of the Problem and the Resulting Explanation of Common Sense Addition

**Computing  $\bar{\Delta}$ .** For every set  $S \in \mathcal{S}$ , from  $|\Delta x_1| \leq \Delta_1$  and  $|\Delta x_2| \leq \Delta_2$ , we conclude that

$$|\Delta x_1 + \Delta x_2| \leq \Delta_1 + \Delta_2.$$

Thus always

$$\Delta(S) \leq \Delta_1 + \Delta_2$$

and hence,

$$\bar{\Delta} = \max \Delta(S) \leq \Delta_1 + \Delta_2.$$

On the other hand, for the set

$$S_0 = \{v, (\Delta_2/\Delta_1) \cdot v\} : v \in [-\Delta_1, \Delta_1] \in \mathcal{S},$$

we have

$$\Delta x_1 + \Delta x_2 = \Delta x_1 \cdot (1 + \Delta_2/\Delta_1).$$

Thus in this case, the largest possible value  $\Delta(S_0)$  of  $\Delta x_1 + \Delta x_2$  is equal to

$$\Delta(S_0) = \Delta_1 \cdot (1 + \Delta_2/\Delta_1) = \Delta_1 + \Delta_2.$$

So,

$$\bar{\Delta} = \max \Delta(S) \geq \Delta(S_0) = \Delta_1 + \Delta_2.$$

Hence,

$$\bar{\Delta} = \Delta_1 + \Delta_2.$$

**Computing  $\underline{\Delta}$ .** For every  $S \in \mathcal{S}$ , since

$$\pi_1(S) = [-\Delta_1, \Delta_1],$$

we have

$$\Delta_1 \in \pi_1(S).$$

Thus, there exists a pair

$$(\Delta_1, \Delta x_2) \in S$$

corresponding to

$$\Delta x_1 = \Delta_1.$$

For this pair, we have

$$|\Delta x_1 + \Delta x_2| \geq |\Delta x_1| - |\Delta x_2| = \Delta_1 - |\Delta x_2|.$$

Here,  $|\Delta x_2| \leq \Delta_2$ , so

$$|\Delta x_1 + \Delta x_2| \geq \Delta_1 - \Delta_2.$$

Thus, for each set  $S \in \mathcal{S}$ , the largest possible value  $\Delta(S)$  of the expression

$$|\Delta x_1 + \Delta x_2|$$

cannot be smaller than  $\Delta_1 - \Delta_2$ :

$$\Delta(S) \geq \Delta_1 - \Delta_2.$$

Hence,

$$\underline{\Delta} = \min_{S \in \mathcal{S}} \Delta(S) \geq \Delta_1 - \Delta_2.$$

On the other hand, for the set

$$S_0 = \{v, -(\Delta_2/\Delta_1) \cdot v : v \in [-\Delta_1, \Delta_1]\} \in \mathcal{S},$$

we have

$$\Delta x_1 + \Delta x_2 = \Delta x_1 \cdot (1 - \Delta_2/\Delta_1).$$

Thus in this case, the largest possible value  $\Delta(S_0)$  of  $\Delta x_1 + \Delta x_2$  is equal to

$$\Delta(S_0) = \Delta_1 \cdot (1 - \Delta_2/\Delta_1) = \Delta_1 - \Delta_2.$$

So,

$$\underline{\Delta} = \min_{S \in \mathcal{S}} \Delta(S) \geq \Delta(S_0) = \Delta_1 - \Delta_2.$$

Thus,

$$\underline{\Delta} \leq \Delta_1 - \Delta_2.$$

Hence,

$$\underline{\Delta} = \Delta_1 - \Delta_2.$$

**Let us apply Hurwicz optimism-pessimism criterion.** So, if we apply Hurwicz optimism-pessimism criterion with  $\alpha = 0.5$  to the interval

$$[\underline{\Delta}, \overline{\Delta}] = [\Delta_1 - \Delta_2, \Delta_1 + \Delta_2],$$

we end up with the value

$$\Delta = 0.5 \cdot \underline{\Delta} + 0.5 \cdot \overline{\Delta} = \Delta_1.$$

For example, for  $\Delta_1 = 10\%$  and  $\Delta_2 = 0.1\%$ , we get  $\Delta = 10\%$  – in full accordance with common sense. In other words, *Hurwicz criterion explains the above-described common-sense addition.*

*Comment.* This result was previously announced in [1].

## Acknowledgments

This work was partially supported by the US National Science Foundation via grants 1623190 (A Model of Change for Preparing a New Generation for Professional Practice in Computer Science) and HRD-1242122 (Cyber-ShARE Center of Excellence).

## References

- [1] B. Aryal, L. Bokati, K. Godinez, S. Ibarra, H. Liu, B. Wang, and V. Kreinovich, “Common Sense Addition Explained by Hurwicz Optimism-Pessimism Criterion”, *Abstracts of the 23rd Joint UTEP/NMSU Workshop on Mathematics, Computer Science, and Computational Sciences*, El Paso, Texas, November 3, 2018.
- [2] L. Hurwicz, *Optimality Criteria for Decision Making Under Ignorance*, Cowles Commission Discussion Paper, Statistics, No. 370, 1951.
- [3] V. Kreinovich, “Decision making under interval uncertainty (and beyond)”, In: P. Guo and W. Pedrycz (eds.), *Human-Centric Decision-Making Models for Social Sciences*, Springer Verlag, 2014, pp. 163–193.
- [4] R. D. Luce and R. Raiffa, *Games and Decisions: Introduction and Critical Survey*, Dover, New York, 1989.