

## Solution to Problem 15

**Problem.** Sketch an example of a Turing machine for implementing mu-recursion, the way we did it in class, on the example of a function  $\mu m.(m = a)$ .

**Solution.** The given function is a particular case of a general  $\mu$ -recursion expression

$$f(n_1, \dots, n_k) = \mu m.P(n_1, \dots, n_k, m)$$

corresponding to  $k = 1$  and  $P(n_1, m) \Leftrightarrow n_1 = m$ .

Suppose that we have a Turing machine for computing the inequality relation  $P(n_1, m)$ . According to the general algorithm described in the lecture, we start with the state

$$\boxed{\_} \boxed{n_1} \boxed{\_} \boxed{\dots} \text{ start}$$

and we want to end up in the state

$$\boxed{\_} \boxed{f(n_1)} \boxed{\_} \boxed{\dots} \text{ halt}$$

Let us show how this can be done. First, we add 0 after the input, copy the whole tuple  $(n_1, 0)$ , and move the head before the second copy of  $n_1$ :

$$\boxed{\_} \boxed{n_1} \boxed{\_} \boxed{0} \boxed{\_} \boxed{n_1} \boxed{\_} \boxed{0} \boxed{\_} \boxed{\dots}$$

Then, we apply the Turing machine computing the function  $P(n_1, 0)$ . As a result, we get the following state:

$$\boxed{\_} \boxed{n_1} \boxed{\_} \boxed{0} \boxed{\_} \boxed{P(n_1, 0)} \boxed{\_} \boxed{\dots}$$

If  $P(n_1, 0) = 0$  (i.e., if the property  $P(n_1, m)$  is false), then we increase 0 by 1, copy the tuple  $(n_1, 1)$ :

$$\boxed{\_} \boxed{n_1} \boxed{\_} \boxed{1} \boxed{\_} \boxed{n_1} \boxed{\_} \boxed{1} \boxed{\_} \boxed{\dots}$$

and again apply the Turing machine for computing  $P(n_1, m)$ , resulting in:

$$\boxed{\_} \boxed{n_1} \boxed{\_} \boxed{1} \boxed{\_} \boxed{P(n_1, 1)} \boxed{\_} \boxed{\dots}$$

In general, at each iteration, we start with the state

$$\boxed{\_} \boxed{n_1} \boxed{\_} \boxed{m} \boxed{\_} \boxed{P(n_1, m)} \boxed{\_} \boxed{\dots}$$

If  $P(n_1, m) = 0$  (i.e., to “false”), then we increase  $m$  by 1, copy the tuple  $(n_1, m + 1)$ :

$$\boxed{\_} \boxed{n_1} \boxed{\_} \boxed{m + 1} \boxed{\_} \boxed{n_1} \boxed{\_} \boxed{m + 1} \boxed{\_} \boxed{\dots}$$

and again apply the Turing machine for computing  $P(n_1, m + 1)$ , resulting in:

-	$n_1$	-	$m + 1$	=	$P(n_1, m + 1)$	-	...
---	-------	---	---------	---	-----------------	---	-----

etc.

This continues until we get the first value  $m$  for which  $P(n_1, m) = 1$  (i.e., “true”). In this case, we get the state

-	$n_1$	-	$m$	=	1	-	...
---	-------	---	-----	---	---	---	-----

Here, the desired value  $m$  is 2-nd out of 3, so it can be found if we apply the corresponding projection  $\pi_2^3$ , resulting in:

=	$m$	-	...	halt
---	-----	---	-----	------

where  $m = f(n_1) = \mu m.P(n_1, m)$ .

This is exactly what we wanted.